

Powerful in every way



BenQ Board Pro

RP6503 / RP7503 / RP8603



ClassroomCare®



Air ionizer




Immersive sound



Ultimate protection for teachers and students

The BenQ Board Pro provides additional layers of protection against health risks in the classroom to make active engagement safe for everyone.



Ultimate protection for teachers and students




All-around protection

Shared surfaces can become potential vectors of germs. The RP03 comes with germ-resistant pens and remote controls for extended protection.



TÜV certified



A breath of fresh air

Poor indoor air quality negatively affects student health and performance. Our exclusive built-in air quality sensors allow you to monitor CO₂ and PM_{2.5}, and formaldehyde levels in the classroom so you can regulate air flow accordingly.




Air ionizer

Purify the air around the RP03 with an ionizer that automatically clears impurities when pollutant levels rise.



Air quality analytics

Centrally monitor the air quality, temperature, and humidity in all your classrooms from a single dashboard.



Maximum eye protection


The RP03 is the first and only interactive display to meet Eyesafe standards, offering the highest level of protection available for the eyes. By minimizing high-energy blue light emission, the RP03 reduces eye strain while maintaining vivid, true-to-life colors.



TÜV certified

eyesafe
CERTIFIED

Eyesafe certified



Flicker-free



Low blue light




Anti-glare

Discover new ways to teach

Teach with confidence knowing all the classroom tools you need to give great lessons are always a tap away.




One-tap login



2x faster than previous gen



8GB memory | 64GB storage



Discover new ways to teach



Tap and teach

Save time by securely accessing your files with a simple tap. Using an NFC card, you can access your cloud storage and load personal settings on any BenQ Board Pro.



Start whiteboarding with a tap


Open the EZWrite 6 whiteboard at any time with a quick tap of the pen.



More than just a whiteboard

Teach using EZWrite 6, a powerful and intuitive whiteboard packed with classroom tools for all subjects. EZWrite 6 lets you save whiteboard sessions to continue giving lessons at a later time.


Discover new ways to teach



More efficient teaching


Double your teaching efficiency by running two apps side by side. Have the EZWrite 6 whiteboard on one side and the browser or lesson content on the other, all on one screen.

*Available on Q4 2022



More streamlined class management

With Google Classroom integration, you can import lesson materials and invite students to the EZWrite 6 Web whiteboard. Post announcements to the Stream for your class right from the display.



Annotate anywhere

The built-in Floating Tool lets you write on top of any app, website, document, or image. Annotate over content displayed from any connected Windows, Mac, iOS, iPad OS, Android, or Chrome OS device.

A more flexible teaching experience



Quick access

Start a whiteboarding session, enable screen sharing, and access your files on the RP03 with a single tap.



Microphone array

Let lessons be heard clearly using the 8 built-in microphones with echo cancellation and noise reduction.



Convenient connectivity

The RP03 comes with all the front ports classrooms need, allowing you to display screens, charge devices, and enable touch.



Voice assistant

Teach from anywhere in the classroom with the remote control and voice typing for increased accessibility.

*Available on Q4 2022

Captivate your class


Encourage active participation at every lesson with a wide variety of teaching tools that make classes fun. Whether you're teaching in person or holding a hybrid class, keep your students engaged and boost their learning retention.



Captivate your class


Engagement on the BenQ Board

Get a smooth and intuitive writing experience that allows multiple students to interact with the display at the same time for group work and competitions. With the EZWrite 6 whiteboard, you can make use of fun classroom tools to give more engaging lessons.



40 touch points

The RP03 picks up to 40 touch points to let everyone interact on the display at the same time.




Natural writing

Zero gap between the glass and panel makes writing on the RP03 feel as smooth as writing on paper.



Fine IR+

Fine IR+ touch enables the most accurate writing experience of any BenQ Board.



Engagement from their seats

Empower students to participate from their seats. With InstaShare 2, students can simultaneously cast their screens onto the BenQ Board. You can also add an element of fun by using Kahoot! to play in-class games.



Immersive audio and visuals

Experience unmatched audiovisuals on the first and only interactive display with rich Dolby Digital Plus sound on the built-in 2 x 16 speakers with subwoofer and crystal-clear 4K UHD images.

The BenQ logo, consisting of the word "BenQ" in a white, sans-serif font, centered within a white, rounded rectangular pill shape. The background of the entire advertisement is a dark, starry space scene with a prominent blue and purple nebula. In the foreground, there are two large, glowing, concentric circles that resemble sound waves or light ripples, creating a sense of depth and immersion. A horizontal band with a fine grid pattern runs across the middle of the image, serving as a backdrop for the BenQ logo.

BenQ

Captivate your class



Teach anywhere

Always be ready to learn from home. With a slot-in PC or the InstaShare Button, the BenQ Board Pro is compatible with all leading video conferencing software.



Learn anywhere

Teach in any distance learning environment with EZWrite 6. Interact with your students on the same whiteboard from different locations.



Plug and teach


Teach students joining from home or participate in remote events as a class on the RP03 with a dedicated port for cameras.

Tools for IT and admin staff

BenQ Boards make display management simple so you can focus on what matters.




Tools for IT and admin staff




Device analytics

Get detailed analytics of all your BenQ devices to increase operational efficiency. With customizable reports, you can easily monitor daily usage and group displays by floor, grade, or building.



Streamline account management

Use your school's account credentials to log into BenQ Boards and access all BenQ services. Streamline account management by connecting to Azure Active Directory and enabling account synchronization.



Effective communication across school

Keep everyone informed and up to date on events, safety protocols, and emergencies. Deliver clear and effective messages to multiple BenQ displays with X-Sign Broadcast.



IP5X dust protection


The RP03 panel meets IP5X standards to ensure consistent operation, even in dust-prone environments.

*Complies with IEC standard 60529



Dimensions (W×H×D)

- RP6503 | 1489.3 × 934.3 × 121.5 mm (58.6 × 36.8 × 4.8 inch)
- RP7503 | 1717.1 × 1065.3 × 121.7 mm (67.6 × 41.5 × 4.8 inch)
- RP8603 | 1962.4 × 1203.4 × 121.5 mm (77.3 × 47.4 × 4.8 inch)



A : Front _____

- | | |
|---------------------------|--------------------------|
| 1. USB Type-C | 7. 8-microphone array |
| 2. HDMI | 8. LiDAR motion sensor |
| 3. USB Type-B (for touch) | 9. NFC sensor |
| 4. USB 3.0 | 10. Ambient light sensor |
| 5. 3.5 mm mic in | 11. IR remote receiver |
| 6. Air ionizer | 12. Front buttons |

B : Side _____


- | | |
|----------------------------|----------------|
| 13. DisplayPort | 17. HDMI out |
| 14. HDMI | 18. USB Type-C |
| 15. USB Type-B (for touch) | 19. USB 2.0 |
| 16. RS-232 | |

C : Bottom _____


- | | |
|----------------------|----------------------------|
| 20. Gigabit Ethernet | 24. 3.5 mm audio in |
| 21. Gigabit Ethernet | 25. VGA |
| 22. 3.5 mm audio out | 26. HDMI |
| 23. S/PDIF out | 27. USB Type-B (for touch) |

 VESA® Wall Mount


RP6503



RP7503



RP8603



| Models | RP6503 | RP7503 | RP8603 |
|------------------------------------|------------------------|------------------------|------------------------|
| Panel | | | |
| Screen size | 65" | 75" | 86" |
| Resolution | UHD 3840 × 2160 pixels | UHD 3840 × 2160 pixels | UHD 3840 × 2160 pixels |
| Aspect ratio | 16:9 | 16:9 | 16:9 |
| Brightness without glass (typical) | 400 nits | 450 nits | 450 nits |
| Contrast ratio (typical) | 1200:1 | 1200:1 | 1200:1 |
| Dynamic contrast ratio | 30,000:1 | 30,000:1 | 30,000:1 |
| Color depth | 10-bit | 10-bit | 10-bit |
| Response time | 8 ms | 8 ms | 8 ms |
| Color gamut | 72% NTSC | 72% NTSC | 72% NTSC |
| Light life (typical) | 50,000 hrs | 50,000 hrs | 50,000 hrs |
| Orientation | Landscape | Landscape | Landscape |
| Glass | | | |
| Hardness | 9H tempered | 9H tempered | 9H tempered |
| Germ-resistant technology | Nano-ionic silver | Nano-ionic silver | Nano-ionic silver |
| Anti-glare coating | Yes | Yes | Yes |
| Touch screen | | | |
| Touch technology | Infrared touch | Infrared touch | Infrared touch |
| Touch points | 40 | 40 | 40 |
| Touch response time | < 10 ms | < 10 ms | < 10 ms |
| Platform System | | | |
| CPU | A73 × 4 + A53 × 4 | A73 × 4 + A53 × 4 | A73 × 4 + A53 × 4 |
| GPU | G52 MP8 | G52 MP8 | G52 MP8 |
| Memory Storage | 8GB 64GB | 8GB 64GB | 8GB 64GB |
| OS | Android 11.0 | Android 11.0 | Android 11.0 |

| Models | RP6503 | RP7503 | RP8603 |
|-----------------------------|--|--|--|
| Connectivity | | | |
| HDMI (in out) | 3 × HDMI 2.0 1 × HDMI 2.0 | 3 × HDMI 2.0 1 × HDMI 2.0 | 3 × HDMI 2.0 1 × HDMI 2.0 |
| DisplayPort (in out) | 1 × 1.2a No | 1 × 1.2a No | 1 × 1.2a No |
| VGA (in out) | 1 0 | 1 0 | 1 0 |
| 3.5 mm Line in (1) | Mic × 1 | Mic × 1 | Mic × 1 |
| 3.5 mm Line in (2) | PC Audio × 1 | PC Audio × 1 | PC Audio × 1 |
| 3.5 mm Line out | Earphone × 1 | Earphone × 1 | Earphone × 1 |
| SPDIF (in out) | 0 1 (optical) | 0 1 (optical) | 0 1 (optical) |
| USB-A | 2 × 2.0 + 5 × 3.0 | 2 × 2.0 + 5 × 3.0 | 2 × 2.0 + 5 × 3.0 |
| USB-B (for touch) | 3 × 3.0 | 3 × 3.0 | 3 × 3.0 |
| USB-C | 1 × 3.0 + 1 × 3.0 (PD 65 W) | 1 × 3.0 + 1 × 3.0 (PD 65 W) | 1 × 3.0 + 1 × 3.0 (PD 65 W) |
| Slot-in PC (OPS) | 1 | 1 | 1 |
| Ethernet LAN | 10 / 100 / 1000 Mbps (Android & OPS) x 2 | 10 / 100 / 1000 Mbps (Android & OPS) x 2 | 10 / 100 / 1000 Mbps (Android & OPS) x 2 |
| Built-in peripherals | | | |
| Microphone | 8 | 8 | 8 |
| Speaker | 2 × 16 W | 2 × 16 W | 2 × 16 W |
| Subwoofer | 1 × 16 W | 1 × 16 W | 1 × 16 W |
| Particle sensor | PM2.5 | PM2.5 | PM2.5 |
| Temperature sensor | 1 | 1 | 1 |
| Humidity sensor | 1 | 1 | 1 |
| Air sensor | TVOC | TVOC | TVOC |
| Motion sensor | 1 | 1 | 1 |
| NFC | Yes | Yes | Yes |
| Wi-Fi | USB wireless adapter (optional) | USB wireless adapter (optional) | USB wireless adapter (optional) |
| Air Ionizer | 1 | 1 | 1 |

| Models | RP6503 | RP7503 | RP8603 |
|---------------------------------|---|--|---|
| Power | | | |
| Power | AC 100-240 V 50/60 Hz | AC 100-240 V 50/60 Hz | AAC 100-240 V 50/60 Hz |
| Standby power consumption | <0.5 W | <0.5 W | <0.5 W |
| Typical power consumption | 191 W | 223 W | 342 W |
| Physical | | | |
| Dimension | 1489.3 × 934.3 × 121.5 mm (58.6 × 36.8 × 4.8 inch) | 1717.1 × 1065.3 × 121.7 mm (67.6 × 41.5 × 4.8 inch) | 1962.4 × 1203.4 × 121.5mm (77.3 × 47.4 × 4.8 inch) |
| Shipping dimensions (W × H × D) | 1660 × 1045 × 220 mm (65.4 × 41.1 × 8.7 inch) | 1900 × 1160 × 225 mm (74.8 × 45.7 × 8.9 inch) | 2160 × 1340 × 250 mm (85.0 × 52.8 × 9.8 inch) |
| Weight (product shipping) | 43 kg 56 kg (94.8 lbs 123.5 lbs) | 55.5 kg 70 kg (122.4 lbs 154.3 lbs) | 70.2 kg 87 kg (154.8 lbs 191.8 lbs) |
| Mount (screws) | VESA 600 × 400 mm (4 × M8 × 25L) | VESA 800 × 400 mm (4 × M8 × 25L) | VESA 800 × 600 mm (4 × M8 × 25L) |
| Pen Tray | 1 | 1 | 1 |
| Environment | | | |
| Operating temperature | 0°C ~ 40°C | 0°C ~ 40°C | 0°C ~ 40°C |
| Storage temperature | -10°C ~ 60°C | -10°C ~ 60°C | -10°C ~ 60°C |
| Storage humidity | 10% ~ 60% RH Non-Condensing | 10% ~ 60% RH Non-Condensing | 10% ~ 60% RH Non-Condensing |
| Operating humidity | 20% ~ 80% RH Non-Condensing | 20% ~ 80% RH Non-Condensing | 20% ~ 80% RH Non-Condensing |
| Accessories | | | |
| Cables | 1 × VGA, 1 × HDMI, 1 × USB-B, 1 × USB-C | 1 × VGA, 1 × HDMI, 1 × USB-B, 1 × USB-C | 1 × VGA, 1 × HDMI, 1 × USB-B, 1 × USB-C |
| Wall mount | 1 | 1 | 1 |
| Stylus | 2 | 2 | 2 |
| Remote control | 1 | 1 | 1 |

BenQ

Dealer's Stamp

©2022 BenQ Corp. Specification may vary by region, please visit your local stores for details. Actual product's features and specifications are subject to change without notice.
This material may include corporate names and trademarks of third parties which are the properties of the third parties respectively.
Doc.: PDP_RP6503/RP7503/RP8603_IFP_EN_202210